

Otoport^{Lite} DP

Ideal Paediatric & Newborn Screener



Australian Distributor

SONIC
EQUIPMENT
One stop shop for all your audiological needs

1800 639 263
info@soniceq.com
soniceq.com





Otoport^{DP} Lite

Ideal Paediatric & Newborn Screener

The Otoport Lite DP is an easy and simple to use handheld DPOAE system with an intuitive interface for both Paediatric and Newborn Hearing Screening. Fast, accurate and automatic pass/refer result with low cost consumables and long battery life, all make the Otoport Lite DP the ideal way to screen with DPOAEs.



RAPID
Paediatric mode



FAST
Easy to use
Clear Pass/Refer result



FREQUENCY RANGE
2 to 6 kHz
Pass SNR 1 to 10dB






OVERVIEW

- Light-weight and portable with easy-to-use keypad
- Automated self-test system when powering on Otoport
- Intuitive test progress graphic displaying signal to noise progress
- Long battery life - up to 250 test cycles or one full working week
- On-screen notification of poor probe fit, high noise level and ringing stimulus
- Create multiple User logins with password protection with Admin control if required
- Fast, noise-resistant mode
- On-board probe test facility and Probe ID tracking
- Transfer data wirelessly to the Otolink suite
- Print wirelessly to the Otodynamics optional mini printer
- Choice of language - English, Spanish, Turkish, Portuguese, Italian, German, Polish, Hungarian, French


DP OAE	
Test Configurability	1 Protocol, 7 Parameters
Frequency Range	2, 3, 4, 6 kHz
Freq. Resolution	1/2 octave
Stimulus Levels	60/50 to 70/70 (6 Presets) (dBSPL)
Pass Criteria	2, 3, 4 Bands
Pass SNR	1 to 10dB per band (Δ 1dB)




The Otoport Lite DP is sensitive to both sensory and conducted deafness in the main speech frequency range and quickly alerts you to possible hearing problems. Add animated distraction display, additional option, helping keep the child engaged and quiet throughout the test.




FAST DPOAE SCREENING



Easy 'press-and-go' operation with choice of 2 key press test start.



In-ear calibration ensuring accurate results.
6 preset stimulus levels 60/50 to 70/70.



Fast and clear Pass/Refer result
2, 3, or 4 bands pass criteria.



EASY DATA ENTRY & RECALL

WORK LIST		
NAME	ID	NOTES
Roberts	OGPM1V02	
Jones	OGPM1V03	
Thomson	OGPM1V04	
DELETE DETAILS TEST		

Work List and downloadable secure database.
Login access if required.

Brown		
DPOAE		
DPOAE PASS		
ANY3BANDS, 65-55dB		
OAE	13.7 dB	✓✓✓
Time	5 sec	2 3 4 6
01 Feb 12 10:35 ADN		
BACK PRINT		

Searchable 500 tests storage listed in chronological order with on-screen test result summary table.

ENTER DETAILS			
ID/Notes	OGPM1V01		
Name	30	Dec	2011
D.O.B	31	Jan	2012
Gender	01	Feb	2013
CANCEL INSERT			

Extensive patient database fields Enter Full Patient demographic data as needed.





Otoport Lite DP is also a highly capable Infant Screener with proven reliability and performance in Universal Newborn Hearing Screening Programmes around the world. Results are achieved typically in seconds. Add AABR at any time with the easy to fit ABR sleeve. (See additional option.)



PAEDIATRIC DISPLAY

Highly effective with children, the visual distraction displays provides 3 animations, engaging the child, helping keep them quiet. The animation gradually fills with colour if the child is quiet, but colour fades when the child is noisy.



DATA SECURITY

USERS 1/1	
USER	PASSWORD
Admin	A
<div>BACK</div> <div>EDIT</div>	

Create multiple User logins with password protection with Admin control if required.


USERS	
<div>1 Add New User</div> <div>2 View Users</div> <div>3 Settings</div>	
<div>BACK</div>	<div>SELECT</div>

Extensive protocol control with login and Administrator functions.



OTOLINK

PC Data Management Suite



Manage your data easily and efficiently with the Otolink PC patient Data Management Suite. Download test results wirelessly or via USB from the Otoport or when docked in the docking station*. Test details can be quickly reviewed, printed and archived. Printing reports directly to PDF file is available. Data can be exported, for example, to OZ, HiTrack, GDT, Noah** or as CSV file. Patient Work Lists can be uploaded to the Otoport, assisting with managing workloads in busy environments. Otolink also provides access to firmware and application updates from Otodynamics via the internet. Compatible with Windows 10, 8 and 7.

* With docking station option ** With Noah option

For further information, please contact us:

www.otodynamics.com
info@otodynamics.com



WHAT'S INCLUDED

with your Otoport

- Charging cradle
- OAE probe with cable clip
- Sample ear tip pack
- Probe test cavity
- Sample infection control sleeve
- PC Otolink software
- USB download cable
- User manuals
- Carry case



2 YEARS
INSTRUMENT
WARRANTY

ADDITIONAL

options for your Otoport

OAE + **ABR**

Add AABR with the easy-to-fit sleeve

At any time add ABR screening to your Otoport with the easy-to-fit ABR sleeve. Ideal for Newborn Screening. Configurable dBnHL stimulus level. Choice of pass criteria. Automated start for speed. Clear pass/refer indication. Real time ABR waveform view. Work List and User login option for large screening programmes.

(See Otoport ABR brochure.)



ADD MINI PRINTER

Compact, fast print time, numerical and band pass data. Battery powered. Choice of wired*/wireless printing via the Otoport.

*Wired printing not compatible with ABR sleeve



ADD DOCKING STATION

The docking station replaces the Otoport charging cradle with full connectivity to the OAE Otoport, PC, charger and printer with automatic print-on-connect mode.

(Not compatible with ABR sleeve.)



Noah 4

ADD NOAH

Our Noah option makes Otolink PC Data Management Suite fully compatible with Noah 4 based data systems.





Australian Distributor

SONIC
EQUIPMENT
One stop shop for all your audiological needs

1800 639 263
info@soniceq.com
soniceq.com

Otodynamics Ltd.

30-38 Beaconsfield Road Hatfield Herts AL10 8BB UK
31-+44 (0)1707 267540 E. info@otodynamics.com

www.otodynamics.com

Ref: F-008-08ROW iss002